



02-2706

L

I hereby certify that this document pertaining to Application Number 10/731,315 is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10, Express Mail Label No. ED807788981US, on the date subscribed, in an envelope addressed to MAIL STOP ISSUE FEE, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the 24<sup>th</sup> day of February 2006.

Ray R. Regan, Attorney for Applicant, Registration No.36, 899

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors:

Kenneth L. Suazo, et al.

First Named Inventor:

Kenneth L. Suazo

Invention:

Apparatus for Transporting Water  
With Liner

Attorney Docket Number:

2224.006DIV

Express Mail Label Number:

ER813737034US

Examiner:

Jong-Suk (James) Lee

Group Art Unit:

3673

### REPLY TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION MAILED BY THE EXAMINER ON FEBRUARY 10, 2006

To: **MAIL STOP ISSUE FEE**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

#### Introductory Comments

A copy of the Notice of Drawing Inconsistency with Specification mailed by the Examiner on February 10, 2006 ("Notice") accompanies this paper.

**PLEASE NOTE** that the Notice was mailed to the client, rather than to undersigned counsel to the client, with consequent delay. Please change the mailing address for all

Best Available Copy


**papers in connection with this matter to that of undersigned counsel, who was and remains appointed under power of attorney.**

A replacement drawing figure is enclosed in response to the Notice. In the replacement drawing figure "Fig. 2" was changed to "Fig. 2A."

Applicant has attempted to be fully responsive to the Notice. If, however, the examiner has any additional comments or suggestions, the undersigned would welcome a telephone call to discuss the matter.

The Commissioner is hereby authorized to charge any additional fees in connection with this paper, and to credit any overpayments, to Deposit Account Number 501565 for the Law Office of Ray R. Regan, P.A.


Respectfully submitted,  
LAW OFFICE OF RAY R. REGAN, P.A.

  
Ray R. Regan  
Registration No. 36,899  
P.O. Box 1442  
Corrales, New Mexico 87048  
Telephone (505) 897-7200  
Facsimile (866) 425-2597  
E-mail [rayregan@rayregan.com](mailto:rayregan@rayregan.com)

Best Available Copy



## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademarks Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/731,315	12/08/2003	Kenneth L. Suazo	2224.006DIV	5073
7590	02/10/2006			
EXAMINER				
LEE, JONG SUK				
ART UNIT		PAPER NUMBER		
3673				

DATE MAILED: 02/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Best Available Copy



**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

**NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION**

The drawings filed 12/8/03 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 2A are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 2 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

**Return Corrected Drawings/Specification to:**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 571-272-4200  
1-888-786-0101

**Best Available Copy**

FORM PTO-1631 (REV. 10-03)